NF/383/01

We claim:

- 1. A process for the preparation of [S(-) amlodipine –L(+)-hemi tartarte which comprises reacting RS amlodipine base with L(+) tartaric acid in an organic solvent at a temperature ranging from 20-35°C for the period ranging from 16 to 24 hours, separating the solid [R(=) amlodipin-L(+)-hemi tartarate] by filtration, seeding the filtrate to obtain solid [S(-) amlodipin-L(+)-hemi tartarate] by precipitation, filtering the solid and basifying to obtain [S(-) amlodipine –L(+)-hemi tartarate.
- 2. A process claimed in claim 1 wherein the solvent is DMSO
- 3. A process claimed in claim 1 wherein the solvent to amlodipine ratio is 5-6 ml/gm of amlodipine.
- 4. A process claimed in claim 1 wherein L-tartaric acid employed is about 0.5 mole per mole of amlodipine.
- 5. A process claimed in claim 1 wherein the solvate precipitated is S(-) smlodipine hemi L(+)-tartarate mono DMSO solvate.
- 6. A process claimed in claim 1 wherein a stirred solution of RS Amlodipine in DMSO was added to a solution of L(+) Tartaric acid in DMSO, the solid obtained separated by filtration, washed with acetone, dried to give R(+) MeOH), the filtrate seeded with S(-) amlodipine hemi L(+) tartarate salt, the solid so obtained filtered off and washed with acetone and dried to give S(-) amlodipine-hemi L(+)-tartarate mono DMSO solvate.